

⑩



Europäisches Patentamt
European Patent Office
Office européen des brevets

⑪ Publication number:

0 133 964
B1

⑫

EUROPEAN PATENT SPECIFICATION

- ⑬ Date of publication of patent specification: 04.07.90 ⑮ Int. Cl.⁵: A 61 K 7/00
 ⑰ Application number: 84108908.9
 ⑲ Date of filing: 27.07.84

⑭ **One-phase silicone-based cosmetic products containing wax.**

⑳ Priority: 29.07.83 US 518497

㉑ Date of publication of application:
 13.03.85 Bulletin 85/11

㉒ Publication of the grant of the patent:
 04.07.90 Bulletin 90/27

㉓ Designated Contracting States:
 AT BE CH DE FR GB IT LI LU NL SE

㉔ References cited:
 DE-A-3 206 448 US-A-3 136 696
 FR-A-2 232 302 US-A-3 836 647

Remington's Pharm. Sciences, 15th ed., 1975,
 pp.1242-69

Handbuch d. Kosmetik u. Riechst., Bd. I, H.
 Janystin, 1978, pp. 832-42

The file contains technical information
 submitted after the application was filed and
 not included in this specification

㉕ Proprietor: Revlon, Inc.
 767 Fifth Avenue
 New York, N.Y.10022 (US)

㉖ Inventor: Tietjen, Marlene
 140 Seventh Avenue
 New York New York 10011 (US)
 Inventor: Hollenberg, Jane
 203 East 27th Street
 New York New York 10016 (US)
 Inventor: Rigg, Richard T.
 2173 Bedford Avenue
 Brooklyn New York 11226 (US)

㉗ Representative: Körber, Wolfhart, Dr.rer.nat.
 et al
 Patentanwälte Dipl.-Ing. H. Mitscherlich Dipl.-
 Ing. K. Gunschmann Dr.rer.nat. W. Körber
 Dipl.Ing. J. Schmidt-Evers Dipl.-Ing. W. Meizer
 Steinsdorfstrasse 10
 D-8000 München 22 (DE)


EP 0 133 964 B1

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European patent convention).

Courier Press, Leamington Spa, England.

Description

This invention relates to cosmetic products in stick, cake, or cream form such as eyeshadows, foundations, moisturizers, and skin protectants. More specifically, the invention relates to such cosmetic products which contain a silicone base, e.g. dimethylpolysiloxane fluid. This fluid has the chemical formula



wherein both Y substituents are $-CH_3$, or both are $-OH$, and in which the degree of polymerization d is a value, typically between 1 and 150, effective to give the fluid a viscosity of 6.5×10^{-7} to $1 \text{ m}^2/\text{s}$ (0.65 to 1 million centistokes) at 25°C . (Viscosity of such fluids can be measured by widely recognized test methods, such as the spinning cup test.)

U.S. Patent No. 3,836,647 discloses skin preparations which, when applied to the extremities or other parts of the body will resist removal from the surface of the skin by repeated washings or the like. Illustrative of the skin preparations of said U.S. patent is a mixture consisting essentially of a trimethylsilyl endblocked diorganopolysiloxane, a hydroxyl or alkoxy endblocked diorganopolysiloxane that is compatible with the above, a benzene-soluble organosilicone resin copolymer, and a pharmaceutically effective medicament for the skin. The skin preparations can be in the form of ointments, emulsions, dispersions, or as solutions which have been prepared in a nontoxic, volatile solvent, and the preferred form is a dispersion.

U.S. Patent No. 3,136,696 discloses a shaving assisting composition comprising a methyl phenyl polysiloxane fluid and a dimethyl polysiloxane fluid, said fluids being in substantially equal amounts in a total quantity of between 10% to 50% by weight, a quaternary ammonium cationic surface-active agent in a quantity of between about 0.0001% to 0.001%, a non-ionic surface-active agent derived from polyoxethylene in a quantity of between about 1% to about 25% and a vehicle selected from the group consisting of ethyl alcohol, isopropyl alcohol and mixtures thereof in a quantity of between about 5% to 80% wherein the quaternary ammonium cationic surface active agent is benzalkonium chloride.

The DE-OS 32 06 448 discloses a hair washing composition comprising quaternary ammonium salts, silicone dioxide powder, and silicone derivates including methylpolysiloxane, methylphenylpolysiloxane, polyether-modified-silicone-oils, epoxy-modified-silicone-oils, fluorine-modified-silicone-oils, alcohol-modified-silicone-oils and alkyl-modified-silicone-oils. These components are dissolved in water or especially in organic solvents obtaining the desired hair washing composition.

The FR-A-2 232 302 discloses a cosmetical composition comprising a mixture of at least a cosmetical base and at least a nontoxic homopolymer composed of multiples of the following structures:



wherein R is a hydrocarbon chain having 6 to 19 carbon atoms and



wherein R_1 is hydrogen or a methyl radical, and R_2 is a hydrocarbon chain having 10 to 20 carbon atoms.

The cosmetical base can contain 6 to 100% of a wax and 0 to 94% of a silicone oil. Examples of the silicone oil are methyloctadecane-oxypoly-siloxane, and polydimethylsiloxy-stearoxy-siloxane. Further dimethylpolysiloxane-oils were used in the above-mentioned mixtures.

Although dimethylpolysiloxane fluids offer the properties of water repellency, slip, non-greasy emollience, and low penetration of the skin, their use in anhydrous cream and stick products is limited by


their poor physical compatibility when combined with other common cosmetic ingredients such as waxes. In particular, the dimethylpolysiloxane fluids are immiscible with waxes; a molten mixture of such a fluid and a wax can be maintained homogeneous only with determined stirring, and cooling such a molten mixture forms a product which undergoes phase separation and forms a mushy or pasty solid which is mixed with a nearly liquid fluid phase. In addition, many conventional pigments are very difficult to mix in silicone fluids such as dimethylpolysiloxane.

It is an object of the invention to provide anhydrous, homogeneous one-phase silicone based compositions of dimethylpolysiloxane, organosilane or organo-polysiloxane and of wax.

It is highly desirable to provide a stick or cream cosmetic product which includes one or more waxes and dimethylpolysiloxane and which is a homogeneous, single-phase product, yet provides the non-greasy feel, excellent slip, and adhesion of the dimethylpolysiloxane fluid when applied to the skin.


According to the present invention this problem is solved by an anhydrous cosmetic composition comprising

(a) 2 to 50 wt.% of dimethylpolysiloxane having the formula



wherein the Y substituents are both $-CH_3$ or both $-OH$, and wherein the dimethylpolysiloxane has a viscosity of 6.5×10^{-7} to $1 \text{ m}^2/\text{s}$ (0.65 to 1 million centistokes) at 25°C ;

(b) 2 to 50 wt. % of an organosilane having the formula $RSi(CH_3)_3$ or an organo-polysiloxane having the formula



or mixtures thereof, wherein R is alkyl having 1 to 30 carbon atoms, or aryl;

R_1 and R_3 are independently alkyl having 1 to 30 carbon atoms, or aryl;

X is alkyl or alkoxy and has 1 to 30 carbon atoms;

R_2 is alkyl having 2 to 30 carbon atoms, aryl, or trimethylsiloxy $((CH_3)_3SiO-)$;


R_4 is alkyl having 2 to 30 carbon atoms, or aryl;

n is 1 to 100, m is 0 to 100, and (n plus m) is 1 to 100; and

(c) 4 to 20 wt.% of a cosmetically acceptable wax.

Cosmetic compositions in accordance with this invention include 2 to 50 wt.%, preferably 10 to 40 wt.%, and more preferably 20 to 40 wt.%, of dimethylpolysiloxane having the formula (1) given above and a viscosity (at 25°C) of 6.5×10^{-7} to $1 \text{ m}^2/\text{s}$ (0.65 to 1,000,000 centistokes). Preferred fluids have a viscosity of 5×10^{-8} to $5 \times 10^{-4} \text{ m}^2/\text{s}$ (5 to 500 centistokes).

The compositions also contain 2 to 50 wt. %, preferably 5 to 40 wt. %, and more preferably 5 to 25 wt. %, of an organosilane having the formula $RSi(CH_3)_3$ or an organo-polysiloxane having the formula



wherein n is 1 to 100, m is 0 to 100, and the sum (n + m) is 1 to 100. In the above formulas, R is alkyl having 1 to 30 carbon atoms, or aryl; R_1 and R_3 are independently alkyl having 1 to 30 carbon atoms or aryl; R_2 is alkyl having 2 to 30 carbon atoms, aryl or trimethylsiloxy; and R_4 is alkyl having 2 to 30 carbon atoms, or aryl. As used herein, "alkyl" and the alkyl moiety of "alkoxy" includes straight- and branched-chain aliphatic groups having 1 to 30 carbon atoms; examples include methyl, ethyl, octyl, and octadecyl. Preferred aryl groups include phenyl and groups in which a phenyl ring is connected to the Si by an alkyl or alkylene bridge up to 3 carbons long, such as styryl. Preferably at least one of R_1 , R_2 , R_3 , and R_4 is alkyl. X is alkyl, or alkyl-oxy, wherein the alkyl group has 1 to 30 carbon atoms; examples of such groups are methyl and octadecyl. Examples of the R group in the formula $RSi(CH_3)_3$ include octadecyl and octadecyloxy.

Examples of organo-polysiloxanes where m equals zero are polymethyloctyl-siloxane, polymethyloctadecyl-siloxane, polymethylphenyl-siloxane, and octadecyloxydimethylpolydimethyl-

siloxane. Examples where n and m are both non-zero include polymethyl/polymethylphenyl-siloxane, polymethylstyryl/polymethylethyl-siloxane, and polymethylstyryl/polymethyldodecyl-siloxane. In this nomenclature, the one or two substituents named after the "poly" are each attached to the silicon atom in each repeating unit, and substituents before "poly" are attached to both ends of the polymer chain. To illustrate, "polymethyloctyl-siloxane" means a compound of formula (2) in which m is zero, R_1 is methyl, and R_2 is octyl. Furthermore, the term "polymethylstyryl/polymethyldodecyl-siloxane" means a compound of formula (2) wherein R_1 is methyl, R_2 is styryl (e.g. $C_6H_5CH:CH-$), R_3 is methyl, and R_4 is dodecyl (e.g. $C_{12}H_{25}-$).

The cosmetic composition also contains 4 to 20 wt.% and preferably 5 to 16 wt.% of a cosmetically acceptable wax; those of ordinary skill in this art will readily identify what is meant by this term. Examples are carnauba, ozokerite, glyceryl tribehenate, beeswax, candelilla, paraffin, bayberry wax, lanolin, microcrystalline wax, montan, rice wax, solid mono-, di-, or triglycerol esters of $C_{12}-C_{36}$ fatty acids, polyethylene, polyethylene/polyvinylacetate copolymers, polyethylene/polyacrylic acid copolymers, $C_{12}-C_{36}$ fatty alcohols, and solid esters of $C_{12}-C_{36}$ fatty alcohols and acids, provided that the wax used in this invention is solid at room temperature (25°C). The useful waxes are further characterized in that they have crystalline to microcrystalline structure; leave a film when applied to the skin from a cosmetic stick or cream; have low viscosity just above their melting points; and exhibit low solubility at room temperature in the dimethylpolysiloxane described hereinabove. Typically the waxes are high-molecular-weight hydrocarbons ($C_{12}-C_{100}$) or mixtures thereof, esters of high-molecular-weight fatty acids with high-molecular-weight fatty alcohols, or mono-, di-, or triesters of $C_{12}-C_{36}$ fatty acids with glycerol.

The cosmetic composition should contain enough of the organo-polysiloxane of formula (2) described above to provide that the composition, whether it is a stick, a cake, or a cream, is a single homogeneous phase. That is, at a temperature above the melting point of the highest-melting ingredient, one should be able to stir together a molten mixture of the three components (dimethylpolysiloxane, organo-polysiloxane, and wax) easily using conventional mixing equipment; and then, on discontinuing stirring, the components should not separate into discrete layers or areas of different composition. Likewise, when a stirred, molten mixture of the three components is cooled to 25°C, the cooled product should remain one continuous phase and the wax should not ooze, bleed, or otherwise separate from the silane and/or siloxane components. In general, the proper relative amounts of wax and the two silicone components can readily be determined by examination of the behavior of a sample formulation; as a general guide to formulations known to be successful, the weight percentage of the wax can be up to about one-third of the combined weight percentage of the silicone components, and the weight ratio of organopolysiloxane or organosilane to dimethylpolysiloxane can be up to about 1:1.

To make the cosmetic composition of the invention, one stirs the dimethylpolysiloxane component with any other liquid components (such as the organopolysiloxane, if it is liquid at room temperature) to achieve a uniform mixture. Any of the optional components which are initially dry (such as fillers, preservatives, and pigments, including the novel pigments described below) are then added to the liquid mixture and dispersed using high shear equipment (such as a 3-roll mixer or Kady mill) until a homogeneous dispersion is obtained. This dispersion is then heated to a point above the melting temperature of the wax material which is to be added (usually 60–95°C). The wax, and the organopolysiloxane if it is solid at room temperature, are added and stirred with a high-shear mixer until all components are melted and dispersed uniformly. The melted mixture is poured hot (at 60–95°C) into the containers of choice, e.g. pans, jars, or sticks, where it is permitted to cool to room temperature.

The resulting product can be used per se as a cosmetic which is applied to soothe and moisturize the skin. One can also add optional ingredients such as cosmetically acceptable fillers, pigments, and/or fragrance. These ingredients are added in finely divided form to the molten mixture, with stirring, before the mixture is poured into containers. As is well recognized in this field, many materials can serve simultaneously as fillers, to add body to the product, and as colorants, to make the product white or a shade such as red. Examples of fillers are talc, mica, silica, kaolin, magnesium silicate, magnesium carbonate, calcium silicate, calcium carbonate, powdered nylon, and combinations thereof. Examples of colorants include iron oxide, titanium dioxide, talc, mica, ultramarine, bismuth oxychloride, chromium oxides, chromium hydroxide, carmine, manganese violet, ferric ferrocyanide, FDA certified organic dyes and lakes, metallic powders, and equivalents. The total of fillers plus colorants can comprise up to 60 wt.% of the product of this invention. The cosmetic formulator will recognize that a blend of fragrance oils such as is conventionally supplied by fragrance manufacturers can be added, in amounts generally ranging up to about 0.5 wt.%. As preservatives one can use methyl or propyl paraben or their equivalent, in amounts up to about 0.5 wt.%.

The composition can contain up to about 40 wt.% and preferably up to about 20 wt.% of one or more cosmetically acceptable oils, to further augment the feel of the product on the skin and to adjust the product's consistency. Suitable oils include glycerol esters and C_3-C_{22} alcohol esters of C_3-C_{22} fatty acids, and $C_{12}-C_{22}$ fatty alcohols, provided that they are liquid at 25°C. The ordinarily skilled formulator will recognize that other compounds known to be equivalent to those listed herein can be incorporated into the composition of this invention.

The invention is further described in the following Examples.

In each Example, all components that are liquid at 25°C were mixed together at room temperature, and

EP 0 133 964 B1

then the dry ingredients (preservatives, fillers, pigments) were mixed into the liquid using high-shear equipment. When the resulting mixture was homogeneous and all solid components were uniformly dispersed, the mixture was heated to above the melting point of the wax that was about to be added (or above the highest melting point if more than one wax was added), and then the wax was added and stirred into the mixture. If the organopolysiloxane or organosilane is a solid at 25°C, it was added at the same time as the wax. The entire mixture was stirred under conventional equipment (Lightnin brand mixer or Kady brand mill) until a uniform mixture was obtained. The mixture was poured hot (60—95°C) into its intended package. No phase separation or component segregation occurred during or after cooling of the product. All solid ingredients which were added as finely divided powders had a particle size typically less than 50 μ . Materials whose crystalline structure promotes the formation of flakes rather than powders (such as mica) were typically less than 150 μ in the longer dimension.

This procedure was used for the following products, which had the indicated components. All amounts are in percent by weight of the final product. Formulations in which each of the amounts indicated below differs by up to 5 wt.% of the product above or below the indicated value are within the scope of this invention.

Foundations A and B

| | A | B |
|---|------|------|
| Ozokerite (wax) | — | 2.0 |
| Glyceryl tribehenate (wax) | 6.0 | 6.0 |
| Polymethyloctadecyl siloxane | 6.0 | 6.0 |
| 2-ethyl-1-hexyl palmitate (oil) | 13.0 | 15.0 |
| Dimethylpolysiloxane (10 cs) 1×10^{-5} m ² /s | 25.0 | 24.0 |
| Titanium dioxide (pigment) | 20.0 | 18.0 |
| Iron oxide (pigment) | 10.0 | 10.0 |
| Talc (filler) | 20.0 | 19.0 |

Foundation C

| | |
|--|------|
| Stearyl alcohol (wax) | 12.5 |
| Stearyl trimethyl silane | 12.5 |
| Dimethylpolysiloxane (10cs) 1×10^{-5} m ² /s | 30.0 |
| Octyldodecanol | 2.5 |
| Titanium dioxide (pigment) | 28.0 |
| Iron oxides (pigment) | 5.8 |
| Talc (filler) | 7.8 |
| Preservatives | 0.4 |
| Fragrance | 0.5 |

EP 0 133 964 B1


Eyeshadow A and B

| | | A | B |
|----|--|------|------|
| 5 | Candelilla (wax) | 5.0 | 7.0 |
| | Polymethylphenylsiloxane | 25.0 | 20.0 |
| | Dimethylpolysiloxane | 25.0 | 25.0 |
| 10 | Bismuth oxychloride (pigment) | 10.0 | 7.0 |
| | Mica (filler) | 10.0 | — |
| 15 | TiO ₂ -coated mica (pigment) | 15.0 | 15.0 |
| | Ultramarine blue (pigment) | 5.0 | 10.0 |
| | Iron oxide (pigment) | — | 3.0 |
| 20 | Talc (filler) | — | 13.0 |
| | Chromium hydroxide | 5.0 | — |
| 25 | Blush | | |
| | Glyceryl tribehenate | | 7.0 |
| 30 | Polymethyloctadecylsiloxane | | 6.0 |
| | 2-ethyl-1-hexyl palmitate | | 15.0 |
| | Dimethylpolysiloxane (10cs) $1 \times 10^{-5} \text{ m}^2/\text{s}$ | | 25.0 |
| 35 | Bismuth oxychloride | | 7.0 |
| | Iron oxide | | 5.0 |
| 40 | D&C Red #7 Ca lake (dye) | | 2.0 |
| | Talc | | 18.0 |
| | Mica | | 15.0 |
| 45 | | | |
| | | A | B |
| 50 | Microcrystalline wax | — | 3.5 |
| | Glyceryl tribehenate | 6.0 | 12.5 |
| | Polymethyloctadecylsiloxane | 6.0 | 12.5 |
| 55 | Dimethylpolysiloxane (500cs) $5 \times 10^{-4} \text{ m}^2/\text{s}$ | 25.0 | 36.0 |
| | 2-ethyl-1-hexyl palmitate | 19.0 | 35.5 |
| 60 | Talc | 24.0 | — |
| | Mica | 20.0 | — |

All the above products exhibited satisfactory texture and smooth feel on the skin, and could be easily applied.


Claims

1. An anhydrous homogeneous cosmetic stick, cake or cream composition comprising:
 (a) 2 to 50 wt.% of dimethylpolysiloxane having the formula



wherein the Y substituents are both $-CH_3$ or both $-OH$, and wherein the dimethylpolysiloxane has a viscosity of 6.5×10^{-7} to $1 \text{ m}^2/\text{s}$ (0.65 to 1 million centistokes) at 25°C ;

(b) 2 to 50 wt.% of organosilane having the formula $RSi(CH_3)_3$ or an organo-polysiloxane having the formula



or mixtures thereof, wherein R is alkyl having 1 to 30 carbon atoms, or aryl;

R_1 and R_3 are independently alkyl having 1 to 30 carbon atoms, or aryl;

R_2 is alkyl having 2 to 30 carbon atoms, aryl, or trimethylsiloxy;

R_4 is alkyl having 2 to 30 carbon atoms, or aryl;

n is 1 to 100, m is 0 to 100, and $(n \text{ plus } m)$ is 1 to 100;

X is alkyl or alkoxy and has 1 to 30 carbon atoms; and

(c) 4 to 20 wt.% of a cosmetically acceptable wax.

2. The composition of claim 1 wherein at least one of R_1 , R_2 , R_3 and R_4 of component (b) is alkyl.

3. The composition of claim 1 wherein the aryl substituent of component (b) is phenyl or styryl.

4. The composition of any of claims 1 to 3 comprising 10 to 40 wt.% of component (a), 5 to 40 wt.% of component (b), and 5 to 16 wt.% of component (c).

5. The composition of any of claims 1 to 4 wherein the wax of component (c) is solid at 25°C and is selected from carnauba, ozokerite, glyceryl tribehenate, beeswax, candelilla, paraffin, bayberry wax, lanolin, microcrystalline wax, montan, rice wax, mono-, di-, and triglycerol esters of C_{12} — C_{36} fatty acids, polyethylene, polyethylene/polyvinyl acetate copolymers, polyethylene/polyacrylic acid copolymers, C_{12} — C_{36} fatty alcohols, and esters of C_{12} — C_{36} fatty acids with C_{12} — C_{36} fatty alcohols.

6. The composition of any of claims 1 to 5 wherein the viscosity of component (a) is 5×10^{-8} to $5 \times 10^{-4} \text{ m}^2/\text{s}$ (5 to 500 centistokes).

7. The composition of any of claims 1 to 6 wherein the alkyl groups of component (b) contain up to 20 carbon atoms.

8. The composition of any of claims 1 to 7 which also contains up to 60 wt.% of filler, colorant, or a mixture thereof.

9. A composition according to any of claims 1 to 8 containing 40 to 50 wt. % of filler, pigment, or a mixture thereof.

10. A composition according to any of claims 1 to 9 comprising 20 to 40 wt. % of component (a), 5 to 25 wt. % of component (b), and 5 to 16 wt. % of component (c).


11. A composition according to any of claims 1 to 10 wherein the component (b) is polymethyloctadecylsiloxane or stearyltrimethylsilane.

12. A composition according to any of claims 1 to 11 wherein the composition contains from 44 to 48% pigment and filler, 24 to 36% of (a), 12.5 to 20% of (b), 6 to 12.5% of (c), and optionally, a fragrance, a preservative, and/or up to 35.5% of a cosmetically acceptable oil.

Patentansprüche


1. Wasserfreie homogene kosmetische Mittel in Stift-, Stück- oder Creme-Form, enthaltend:

a) 2 bis 50 Gewichtsprozent eines Dimethylpolysiloxans mit der Formel



in der die Y-Substituenten jeweils beide $-\text{CH}_3$ oder $-\text{OH}$ bedeuten und wobei das Dimethylpolysiloxan eine Viskosität von $6,5 \times 10^{-7}$ bis $1 \text{ m}^2/\text{s}$ (0,65 bis 1 Million Centistoke) bei 25°C aufweist,

b) 2 bis 50 Gewichtsprozent eines Organosilans mit der Formel $\text{RSi}(\text{CH}_3)_3$ oder eines Organopolysiloxans mit der Formel



oder Mischungen davon,

wobei R ein Alkyl mit 1 bis 30 C-Atomen oder Aryl ist, R_1 und R_3 unabhängig voneinander Alkyl mit 1 bis 30 C-Atomen oder Aryl bedeuten, R_2 ein Alkyl mit 2 bis 30 C-Atomen, Aryl oder Trimethylsiloxy darstellt, R_4 Alkyl mit 2 bis 30 C-Atomen oder Aryl entspricht, n 1 bis 100, m 0 bis 100 und (n + m) 1 bis 100 sind sowie X ein Alkyl oder Alkoxy mit 1 bis 30 C-Atomen ist, und

c) 4 bis 20 Gewichtsprozent eines kosmetisch tragbaren Waxes.

2. Mittel gemäß Anspruch 1, dadurch gekennzeichnet daß wenigstens einer der Substituenten R_1 , R_2 , R_3 und R_4 des Bestandteils (b) ein Alkyl ist.

3. Mittel gemäß Anspruch 1, dadurch gekennzeichnet daß der Arylsubstituent des Bestandteils (b) Phenyl oder Styryl ist.

4. Mittel gemäß einem der Ansprüche 1 bis 3, bestehend aus 10 bis 40 Gewichtsprozent vom Bestandteil (a), 5 bis 40 Gewichtsprozent vom Bestandteil (b) und 5 bis 16 Gewichtsprozent vom Bestandteil (c).

5. Mittel gemäß einem der Ansprüche 1 bis 4, dadurch gekennzeichnet daß das Wachs des Bestandteils (c) bei 25°C fest ist und aus Carnaubawachs, Ozokerit, Glycerintribehenat, Bienenwachs, Candellilawachs, Paraffin, Myrtenwachs, Lanolin, mikrokristallinem Wachs, Montanwachs, Reiswachs, Mono-, Di- oder Triglycerinestern von C_{12} – C_{36} -Fettsäuren, Polyethylen, Polyethylen/Polyvinylacetat-Copolymeren, Polyethylen/Polyacrylsäure-Copolymeren, C_{12} – C_{36} -Fettalkoholen und Estern von C_{12} – C_{36} -Fettsäuren mit C_{12} – C_{36} -Fettalkoholen ausgewählt ist.

6. Mittel gemäß einem der Ansprüche 1 bis 5, dadurch gekennzeichnet daß die Viskosität des Bestandteils (a) 5×10^{-6} bis $5 \times 10^{-4} \text{ m}^2/\text{s}$ (5 bis 500 Centistoke) beträgt.

7. Mittel gemäß einem der Ansprüche 1 bis 6, dadurch gekennzeichnet daß die Alkylgruppen des Bestandteils (b) bis zu 20 C-Atomen aufweisen.

8. Mittel gemäß einem der Ansprüche 1 bis 7, dadurch gekennzeichnet daß darin zusätzlich bis 60 Gewichtsprozent an Füllstoffen, Farbstoffen oder deren Mischungen enthalten sind.

9. Mittel gemäß einem der Ansprüche 1 bis 8, dadurch gekennzeichnet daß darin 40 bis 50 Gewichtsprozent an Füllstoffen, Pigmenten oder deren Mischungen enthalten sind.

10. Mittel gemäß einem der Ansprüche 1 bis 9, dadurch gekennzeichnet daß es aus 20 bis 40 Gewichtsprozent vom Bestandteil (a) besteht, aus 5 bis 25 Gewichtsprozent vom Bestandteil (b) und 5 bis 16 Gewichtsprozent vom Bestandteil (c).


11. Mittel gemäß einem der Ansprüche 1 bis 10, dadurch gekennzeichnet daß der Bestandteil (b) Polymethyloctadecylsiloxan oder Stearyltrimethylsilan ist.

12. Mittel gemäß einem der Ansprüche 1 bis 11, dadurch gekennzeichnet daß es aus 44 bis 48% Pigment und Füllstoff besteht, aus 24 bis 36% von (a), aus 12,5 bis 20% von (b), aus 6 bis 12,5% von (c) und gegebenenfalls einen Duftstoff, ein Konservierungsmittel und/oder bis 35,5% eines kosmetisch tragbaren Öls enthält.

50 Revendications


1. Composition homogène anhydre de bâton, pain ou crème cosmétique, comprenant:

(a) 2 à 50% en poids de diméthylpolysiloxane ayant la formule:



où les substituants Y représentent tous deux $-\text{CH}_3$ ou tous deux $-\text{OH}$, et dans laquelle le diméthylpolysiloxane a une viscosité de $6,5 \times 10^{-7}$ à $1 \text{ m}^2/\text{s}$ (0,65 à 1 million de centistokes) à 25°C ;

(b) 2 à 50% en poids d'organosilane ayant la formule $\text{RSi}(\text{CH}_3)_3$ ou d'un organopolysiloxane ayant la



ou des mélanges de ceux-ci, où:

- 10 R représente alkyle ayant 1 à 30 atomes de carbone, ou aryle;
 R₁ et R₃ représentent indépendamment alkyle ayant 1 à 30 atomes de carbone, ou aryle;
 R₂ représente alkyle ayant 2 à 30 atomes de carbone, aryle, ou triméthylsiloxy;
 R₄ représente alkyle ayant 2 à 30 atomes de carbone, ou aryle;
 n vaut 1 à 100;
 15 m vaut 0 à 100; et
 (n plus m) vaut 1 à 100;
 X représente alkyle ou alcoxy et a 1 à 30 atomes de carbone; et
 (c) 4 à 20% en poids d'une cire cosmétiquement acceptable.
2. Composition selon la revendication 1, dans laquelle au moins l'un parmi R₁, R₂, R₃ et R₄ du
 20 composant (b) représente alkyle.
3. Composition selon la revendication 1, dans laquelle le substituant aryle du composant (b) est
 phényle ou styryle.
4. Composition selon l'une des revendications 1 à 3, comprenant de 10 à 40% en poids de composant
 (a), 5 à 40% en poids de composant (b), et 5 à 16% en poids de composant (c).
- 25 5. Composition selon l'une des revendications 1 à 4, dans laquelle la cire du composant (c) est solide à
 25°C et est choisie parmi la cire de carnauba, l'ozokérite, le tribéhénate de glycéryle, la cire d'abeilles, la cire
 de candelilla, la paraffine, la cire de l'arbre à cire, la lanoline, la cire microcristalline, la cire minérale, la cire
 de riz, les esters de mono-, di- et triglycérols et d'acides gras en C₁₂—C₃₆, le polyéthylène, les copolymères
 polyéthylène/poly(acétate de vinyle), les copolymères polyéthylène/acide polyacrylique, les alcools gras en
 30 C₁₂—C₃₆, et les esters d'acides gras en C₁₂—C₃₆ avec les alcools gras en C₁₂—C₃₆.
6. Composition selon l'une des revendications 1 à 5, dans laquelle la viscosité du composant (a) va de
 5 × 10⁶ à 5 × 10⁴ m²/s (5 à 500 centistokes).
7. Composition selon l'une des revendications 1 à 6, dans laquelle les groupes alkyle du composant (b)
 contiennent jusqu'à 20 atomes de carbone.
- 35 8. Composition selon l'une des revendications 1 à 7, qui contient également jusqu'à 60% en poids de
 charge, colorant, ou d'un mélange de ceux-ci.
9. Composition selon l'une des revendications 1 à 8, contenant 40 à 50% en poids de charge, pigment,
 ou d'un mélange de ceux-ci.
10. Composition selon l'une des revendications 1 à 9, comprenant 20 à 40% en poids de composant (a),
 40 5 à 25% en poids de composant (b), et 5 à 16% en poids de composant (c).
11. Composition selon l'une des revendications 1 à 10, dans laquelle le composant (b) est le
 polyméthyl-octadécylsiloxane ou le stéaryltriméthylsilane.
12. Composition selon l'une des revendications 1 à 11, dans laquelle la composition contient de 44 à
 48% de pigment et charge, 24 à 36% de (a), 12,5 à 20% de (b), 6 à 12,5% de (c), et, facultativement, un
 45 parfum, un agent de conservation, et/ou jusqu'à 35,5% d'une huile cosmétiquement acceptable.